



Certificate of Analysis

Productname: FORMALDEHYDE SOLUTION 35%

Inspection No: H10031/1120/536
Batchnumber: 20I24-T03-081108
Expiration date: 03.09.2022
Analysed according to: ČL 2017, Ph.Eur.10.0
Original Manuf. Date: 3.9.2020

Sample Unit: 1 x 10 ml
Batch Size: 158 x 1 l

Identification of producer: V01009
Batch no. of vendor: 2024701881

	Requirement	Result	Unit	Standard remark	Insp. Site
CHARACTERS					
Appearance	Clear, colourless liquid.	Conform			Fagron CZ
Solubility	Conform	Conform			Fagron CZ
Density	Conform	1,092	g/cm3		Fagron CZ
IDENTIFICATION					
Identification A	Violet	Conform			Fagron CZ
Identification B	Red	Conform			Fagron CZ
Identification C	Grey precipitate, silver mirror	Conform			Fagron CZ
Identification D	34,5 - 38,0	35,2	%	Assay	Fagron CZ
TESTS					
Appearance of solution	Colourless	Conform			Fagron CZ
Acidity	<=0,4	0,09	ml		Fagron CZ
Methanol	9,0 - 15,0	11,4	%(V/V)		Contract Lab
Sulfated ash	<=0,1	0,0	%		Fagron CZ
ASSAY					
Formaldehyde	34,5 - 38,0	35,2	%		Fagron CZ

Performed by: Lucie Kubáňová DiS.

Responsible: Ing. Mgr. Kateřina Jokešová, QC
 PharmDr. Ivana Urbánková, QA

Date: 12.11.2020

Conclusion: APPROVED

This document has been produced electronically from our quality system and is valid without signature.